

Exterior 2.3 Essential

Color Chart



For you to create

Fundermax

Decor Overview

| | | | | | |
|-----------------------------|---------------------------------|----------------------------|-------------------------------|---------------------------|--------------------------|
| 0080 Black | 0091 Starlight | 0065 White | 0753 Cool Grey Medium | 0776 Concrete Grey | 0070 Carbon Grey |
| 0900 Dark Cyber Grey | 0762 Natural Grey Medium | 1203 Grey | 0074 Pastel Grey | 0075 Dark Grey | 0077 Charcoal |
| 2289 Tortora | 0144 Costa | 0768 Sparrow | 0875 Chocolate Brownie | 0657 Sepia Brown | 0153 Burano |
| 0733 Hygienic White | 0651 Cream | 0627 Hygienic Beige | 0645 Tobacco | 0098 Mandola | 0081 Alpaca |
| 0687 Maize | 0647 Golden Yellow | 0665 Lemon | 0736 Saffron | 5032 Cinnamon | 0873 Red Pepper |
| 3007 Black Red | 0680 Wine Red | 0020 Ballerina | 0661 Terracotta | 0691 Purple | 0874 Maroon |
| 0706 Glacier Blue | 0703 Dove Blue | 0712 Steel Blue | 0631 Turquoise | 0617 Petrol Green | 0056 Atlantis |
| 0592 Kiwi Green | 0849 Frosted Green | 0623 Green | 0059 Dark Green | 0662 Jade Green | 0663 Reseda Green |
| 0725 Yellowish Green | 0899 Dark Red | 0717 Atlantic | 0689 Dark Red | 0693 Dark Red | 0694 Dark Red |
| 0550 Green Valley | 0654 Jasmin | 0237 Gentian Blue | 0689 Dark Red | 0689 Dark Red | 0689 Dark Red |
| 0591 Fir Green | 0666 Sand | 0702 Night Blue | 0674 Mars Red | 0674 Mars Red | 0674 Mars Red |
| 0742 Pebble Grey | 0887 Dark Offroad Greige | 0066 Sand | 0674 Mars Red | 0674 Mars Red | 0674 Mars Red |
| 0741 Birch Grey | 2206 Fango | 0851 Winter White | 0654 Jasmin | 0654 Jasmin | 0654 Jasmin |
| 0747 Medium Grey | 0071 Fresco | 0073 Pale Ivory | 0665 Ivory | 0665 Ivory | 0665 Ivory |




* Note: Colors are approximate. Please visit our website and order decor samples for the most accurate representation.

: : Fundermax

Max Compact Exterior F-Quality

Fundermax panels feature thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, with the most effective weather protection thanks to double hardened acrylic polyurethane resin.



Surfaces

- NT (Standard)
- NH (Hexa)/NT (only for XL and GR sizes and in 2,050 x 1,854 mm)
- NG (Gloss)/NG (Gloss) (only for JU size)
- NY (Sky)/NT (only for JU size, thicknesses of 6 and 8 mm, limited range of decorative finishes)
- NP (Paragon)/NT

Sizes **

- 110 ¹/₄ x 51 ³/₁₆ in = 39.18 ft²
• 2800 x 1300 mm = 3.65 m²
- 161 ³/₈ x 51 ³/₁₆ in = 57.37 ft²
• 4100 x 1300 mm = 5.33 m²
- 144 ¹/₂ x 64 ³/₁₆ in = 64.39 ft²
• 3670 x 1630 mm = 5.98 m²
- 110 ¹/₄ x 73 in = 55.88 ft²
• 2800 x 1854 mm = 5.19 m²
- 161 ³/₈ x 73 in = 81.82 ft²
• 4100 x 1854 mm = 7.60 m²

** Fractions are approximate due to imperial conversions.

Fundermax North America, Inc.

9401-P Southern Pine Blvd., Charlotte, NC 28273, USA
Tel: +1 (980) 299 0035 | contactFNA@fundermax.biz
Follow us: [@fundermaxna](https://www.instagram.com/fundermaxna)
www.fundermax.us

MEMBER OF *Constantia* INDUSTRIES

Updated June 2024 | For the most up-to-date color options, please visit our website.

Thicknesses

Panels with double-sided decor:

| Thickness | Tolerance (EN 438-6, 5.3) |
|----------------|---------------------------|
| • 2.0–2.9 mm | ±0.2 mm |
| • 3.0–4.9 mm | ±0.3 mm |
| • 5.0–7.9 mm | ±0.4 mm |
| • 8.0–11.9 mm | ±0.5 mm |
| • 12.0–13.0 mm | ±0.6 mm |

Panels with the Hexa surface:

| Thickness | Tolerance (EN 438-6, 5.3) |
|----------------|---------------------------|
| • 6.0–7.9 mm | ±0.4 mm |
| • 8.0–11.9 mm | ±0.5 mm |
| • 12.0–15.9 mm | ±0.6 mm |
| • 16.0–20.0 mm | ±0.7 mm |

Panels with smooth reverse side (for symmetrical sandwich elements):

| Thickness | Tolerance (EN 438-6, 5.3) |
|--------------|---------------------------|
| • 2.0–2.9 mm | ±0.2 mm |
| • 3.0–4.0 mm | ±0.3 mm |

Core

- F-Quality
- Flame retardant
- Brown color



Order Exterior Samples