

# Exterior 2.3 Essential

Color Chart



For you to create

Fundermax

# Decor Overview

			<b>0080</b> Black	<b>0091</b> Starlight	<b>0085</b> White	<b>0753</b> Cool Grey Medium	<b>0776</b> Concrete Grey	<b>0070</b> Carbon Grey
<b>0742</b> Pebble Grey	<b>0741</b> Birch Grey	<b>0747</b> Medium Grey	<b>0900</b> Dark Cyber Grey	<b>0762</b> Natural Grey Medium	<b>1203</b> Grey	<b>0074</b> Pastel Grey	<b>0075</b> Dark Grey	<b>0077</b> Charcoal
<b>0887</b> Dark Offroad Greige	<b>2206</b> Fango	<b>0071</b> Fresco	<b>2289</b> Tortora	<b>0144</b> Costa	<b>0768</b> Sparrow	<b>0875</b> Chocolate Brownie	<b>0657</b> Sepia Brown	<b>0153</b> Burano
<b>0066</b> Sand	<b>0851</b> Winter White	<b>0073</b> Pale Ivory	<b>0733</b> Hygienic White	<b>0651</b> Cream	<b>0627</b> Hygienic Beige	<b>0645</b> Tobacco	<b>0098</b> Mandola	<b>0081</b> Alpaca
<b>0864</b> Mustard	<b>0654</b> Jasmin	<b>0065</b> Ivory	<b>0687</b> Maize	<b>0647</b> Golden Yellow	<b>0865</b> Lemon	<b>0736</b> Saffron	<b>5032</b> Cinnamon	<b>0873</b> Red Pepper
<b>0674</b> Mars Red	<b>0689</b> Dark Red	<b>3003</b> Rubinus Red	<b>3007</b> Black Red	<b>0680</b> Wine Red	<b>0020</b> Ballerina	<b>0661</b> Terracotta	<b>0691</b> Purple	<b>0874</b> Maroon
<b>0702</b> Night Blue	<b>0237</b> Gentian Blue	<b>0717</b> Atlantic	<b>0706</b> Glacier Blue	<b>0703</b> Dove Blue	<b>0712</b> Steel Blue	<b>0631</b> Turquoise	<b>0617</b> Petrol Green	<b>0056</b> Atlantis
<b>0591</b> Fir Green	<b>0850</b> Green Valley	<b>0725</b> Yellowish Green	<b>0592</b> Kiwi Green	<b>0849</b> Frosted Green	<b>0623</b> Green	<b>0059</b> Dark Green	<b>0662</b> Jade Green	<b>0663</b> Reseda Green




\* Note: Colors are approximate. Please visit our website and order decor samples for the most accurate representation.

: : Fundermax

# Max Compact Exterior F-Quality

Fundermax panels feature thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, with the most effective weather protection thanks to double hardened acrylic polyurethane resin.



## Surfaces

- NT (Standard)
- NH (Hexa)/NT (only for XL and GR sizes and in 2,050 x 1,854 mm)
- NG (Gloss)/NG (Gloss) (only for JU size)
- NY (Sky)/NT (only for JU size, thicknesses of 6 and 8 mm, limited range of decorative finishes)
- NP (Paragon)/NT

## Sizes \*\*

- 110 <sup>1</sup>/<sub>4</sub> x 51 <sup>3</sup>/<sub>16</sub> in = 39.18 ft<sup>2</sup>  
• 2800 x 1300 mm = 3.65 m<sup>2</sup>
- 161 <sup>3</sup>/<sub>8</sub> x 51 <sup>3</sup>/<sub>16</sub> in = 57.37 ft<sup>2</sup>  
• 4100 x 1300 mm = 5.33 m<sup>2</sup>
- 144 <sup>1</sup>/<sub>2</sub> x 64 <sup>3</sup>/<sub>16</sub> in = 64.39 ft<sup>2</sup>  
• 3670 x 1630 mm = 5.98 m<sup>2</sup>
- 110 <sup>1</sup>/<sub>4</sub> x 73 in = 55.88 ft<sup>2</sup>  
• 2800 x 1854 mm = 5.19 m<sup>2</sup>
- 161 <sup>3</sup>/<sub>8</sub> x 73 in = 81.82 ft<sup>2</sup>  
• 4100 x 1854 mm = 7.60 m<sup>2</sup>

\*\* Fractions are approximate due to imperial conversions.

### Fundermax North America, Inc.

9401-P Southern Pine Blvd., Charlotte, NC 28273, USA  
Tel: +1 (980) 299 0035 | contactFNA@fundermax.biz  
Follow us: @fundermaxna  
www.fundermax.us

MEMBER OF *Constantia* INDUSTRIES

Updated March 2025 | For the most up-to-date color options, please visit our website.

## Thicknesses

Panels with double-sided decor:

Thickness	Tolerance (EN 438-6, 5.3)
• 2.0–2.9 mm	±0.2 mm
• 3.0–4.9 mm	±0.3 mm
• 5.0–7.9 mm	±0.4 mm
• 8.0–11.9 mm	±0.5 mm
• 12.0–13.0 mm	±0.6 mm

Panels with the Hexa surface:


Thickness	Tolerance (EN 438-6, 5.3)
• 6.0–7.9 mm	±0.4 mm
• 8.0–11.9 mm	±0.5 mm
• 12.0–15.9 mm	±0.6 mm
• 16.0–20.0 mm	±0.7 mm

Panels with smooth reverse side (for symmetrical sandwich elements):

Thickness	Tolerance (EN 438-6, 5.3)
• 2.0–2.9 mm	±0.2 mm
• 3.0–4.0 mm	±0.3 mm

## Core

- F-Quality
- Flame retardant
- Brown color



Order Exterior Samples