

Exterior 2.3 Essential

Color Chart



For you to create

Fundermax

Decor Overview

			0080 Black	0091 Starlight	0085 White	0753 Cool Grey Medium	0776 Concrete Grey	0070 Carbon Grey
0742 Pebble Grey	0741 Birch Grey	0747 Medium Grey	0900 Dark Cyber Grey	0762 Natural Grey Medium	1203 Grey	0074 Pastel Grey	0075 Dark Grey	0077 Charcoal
0887 Dark Offroad Greige	2206 Fango	0071 Fresco	2289 Tortora	0144 Costa	0768 Sparrow	0875 Chocolate Brownie	0657 Sepia Brown	0153 Burano
0066 Sand	0851 Winter White	0073 Pale Ivory	0733 Hygienic White	0651 Cream	0627 Hygienic Beige	0645 Tobacco	0098 Mandola	0081 Alpaca
0864 Mustard	0654 Jasmin	0065 Ivory	0687 Maize	0647 Golden Yellow	0865 Lemon	0736 Saffron	5032 Cinnamon	0873 Red Pepper
0674 Mars Red	0689 Dark Red	3003 Rubinus Red	3007 Black Red	0680 Wine Red	0020 Ballerina	0661 Terracotta	0691 Purple	0874 Maroon
0702 Night Blue	0237 Gentian Blue	0717 Atlantic	0706 Glacier Blue	0703 Dove Blue	0712 Steel Blue	0631 Turquoise	0617 Petrol Green	0056 Atlantis
0591 Fir Green	0850 Green Valley	0725 Yellowish Green	0592 Kiwi Green	0849 Frosted Green	0623 Green	0059 Dark Green	0662 Jade Green	0663 Reseda Green




* Note: Colors are approximate. Please visit our website and order decor samples for the most accurate representation.

: : Fundermax

Max Compact Exterior F-Quality

Fundermax panels feature thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, with the most effective weather protection thanks to double hardened acrylic polyurethane resin.



Surfaces

NT (Standard) / NT (Standard)

- Silky matte finish with delicate shimmer and fine hammered texture.

NH (Hexa) / NT (Standard)

- A rugged hexagonal texture that provides a bold, slip resistant surface.
- Only for XL and GR sizes and in 2050 x 1854 mm

NG (Gloss) / NG (Gloss)

- Highly reflective surface that's bold and reflects its surroundings.
- Only for JU size

NY (Sky) / NT (Standard)

- Textured finish with depth and a pleasant feel – spirited, raw, and natural.
- Only for JU size, thicknesses of 6 & 8 mm, limited range of decorative finishes

NP (Paragon) / NT (Standard)

- Calming matte surface with anti-fingerprint technology and high-value feel.

Sizes **

- **GR:** 110 ¹/₄ x 51 ³/₁₆ in = 39.18 ft²
 - 2800 x 1300 mm = 3.65 m²
- **JU:** 161 ³/₈ x 51 ³/₁₆ in = 57.37 ft²
 - 4100 x 1300 mm = 5.33 m²
- **OF:** 144 ¹/₂ x 64 ³/₁₆ in = 64.39 ft²
 - 3670 x 1630 mm = 5.98 m²
- **SP:** 110 ¹/₄ x 73 in = 55.88 ft²
 - 2800 x 1854 mm = 5.19 m²
- **XL:** 161 ³/₈ x 73 in = 81.82 ft²
 - 4100 x 1854 mm = 7.60 m²

** Fractions are approximate due to imperial conversions.

Fundermax North America, Inc.

Charlotte, North Carolina

Tel: (980) 299-0035 | contactFNA@fundermax.biz

Follow us: [@fundermaxna](#)

www.fundermax.us

Updated October 2025 | For the most up-to-date color options, please visit our website.

Thicknesses

Panels with double-sided decor:

Thickness Tolerance (EN 438-6, 5.3)

- 2.0–2.9 mm ±0.2 mm
- 3.0–4.9 mm ±0.3 mm
- 5.0–7.9 mm ±0.4 mm
- 8.0–11.9 mm ±0.5 mm
- 12.0–13.0 mm ±0.6 mm

Panels with the Hexa (NH) surface:

Thickness Tolerance (EN 438-6, 5.3)

- 6.0–7.9 mm ±0.4 mm
- 8.0–11.9 mm ±0.5 mm
- 12.0–15.9 mm ±0.6 mm
- 16.0–20.0 mm ±0.7 mm

Panels with smooth reverse side (for symmetrical sandwich elements):

Thickness Tolerance (EN 438-6, 5.3)

- 2.0–2.9 mm ±0.2 mm
- 3.0–4.0 mm ±0.3 mm

Core

- F-Quality
- Flame retardant
- Brown color



Order Exterior Samples