

Exterior Pro 2.3 Surface

Range of Decors | June 2026



For you to create



Fundermax



Contents

Sustainability and the Environment	4
Exterior Pro 2.3 Surface Collection	6
Decor overview and delivery programme	26
Products	30
Fundermax Individual Solutions	36
Essential Collection	40
Other Pro Collections	42

Fundermax

Whether it’s furniture, facades, or interior design: where ideas and materials meet, you’ll find Fundermax. As a global market leader in the field of compact panels and a manufacturer of high-quality wood-based materials and laminates, the company is proud to look back on a history spanning 130 years. The continued success is based on the highest quality, innovative and varied design, and sustainable production. Made in Austria—with great love for wood as a natural material, creations, and imagination.

- Modern production facilities in Austria, Norway and the Netherlands
- Around 1,400 employees
- Part of Constantia Industries AG
- Integrated management system certified according to ISO standards: 9001 quality, 14001 environment, 50001 energy efficiency, 45001 occupational health and safety
- FSC, PEFC and SURE certified



1 Sustainability and the Environment

Offering high-quality wood based compact and HPL panels with various decors, Fundermax positions itself at the very heart of the architecture of a building. We design and manufacture a broad spectrum of products made from natural materials that are easy to work with, in order to provide architects, designers, facade designers, interior designers, and industrial companies with solutions that stand the test of time.

Fundermax has been processing natural materials with precision and love for 130 years. Today, we are manufacturers of high-quality timber composite materials and a global leader in compact laminates for both internal and external applications. Fundermax stands for nothing less than top quality and excellent design.




© Severin Murnig

100% wood and paper




comes from sustainable and certified forestry management.

10,000 t CO₂



saved every year

100% green electricity



generated during production.

This and much more is what makes Fundermax a sustainable company, always looking to the future.

Find out more in our Sustainability Brochure via this QR code.



2 Exterior Pro 2.3 | Surface Collection

Fundermax Exterior is synonymous with product quality, sustainability, innovation, and design freedom. We developed the overarching Exterior 2.3 collection in collaboration with international architects and our experienced teams. In order to accommodate your project requirements, we divided it into two subcollections.

In the Essential collection, the focus is on maximum choice of decorative finishes and efficiency. In the Pro Surface collection, it's all about design using surface textures and visual effects.

For maximum design freedom, there's Fundermax Individual. Create your very own design using Fundermax custom printing or add accents by machining a design directly onto the material surface without the need for further processing.

Whatever form your idea takes, the Exterior 2.3 collection from Fundermax opens up a whole world of design possibilities.

For you to create.

Exterior Pro 2.3 Surface


Unique surfaces combined with a variety of decors—they could be the perfect option for your very special project!

The surfaces NG, NP and NY in this collection can be supplied in this size*:

- **$161\frac{3}{8} \times 51\frac{3}{16}$ in = 57.37 ft²**
4,100 x 1,300 mm = 5.33 m²


For details, see the product portfolio on page 28.

* Fractions are approximate due to imperial conversions.



NG Gloss

Combined with solid colors, the impact of NG Gloss is bold and expressive, while with wood and other material effects, it is exclusive and elegant. The surroundings are incorporated into the design through the high reflectivity of the surface, adding to its appeal.




NP Paragon

This matte surface with anti-finger print technology is calming and self-assured. This is highlighted by the pleasant and high-value feel of NP Paragon.



NY Sky

Convincing depth effect and pleasant feel—this texture is spirited, raw, and natural, and complements the range of surfaces perfectly.




Color

SOLIDS

Architecture means providing perspectives and having a powerful influence on public perception.

In our Exterior Pro 2.3 | Surface range, you'll find a selection of decors that the Gloss, Sky, and Paragon surfaces show in their best light.

For you to create.



0080 Black




0070 Carbon Grey



0077 Charcoal



0900 Dark Cyber Grey




0075 Dark Grey




0074 Pastel Grey


Wheaton Library and Recreation Center | Grimm + Parker
© Brycen Fischer




0887 Dark Offroad Greige



2206 Fango



2289 Tortora



0874 Maroon




0873 Red Pepper




0864 Mustard

Omaha Learning Community Center | RDG Planning and Design
© John Gawley



0850 Green Valley



0725 Yellowish Green



0865 Lemon




0237 Gentian Blue



0717 Atlantic



0674 Mars Red



Nature

WOODGRAINS

Whatever people put together in terms of color, shape, and texture, the world around us has already long since created it in one form or another. There is so much to discover, and most of it will be found in the smallest details.

In our Exterior Pro 2.3 | Surface Nature range, you'll find both bold and subtle wood textures and shades that don't just look really natural with the NP surface, they also feel incredibly pleasant to touch.

For you to create.



0870 Dark Honey Marvel Walnut



0868 Caramel Marvel Walnut



0909 Brown Flagship Oak

0907 Graphite Flagship Oak

0869 Smoked Marvel Walnut

0908 Grey Flagship Oak



Material

Witness the unyielding power of nature, strong accents, and smooth textures in natural harmony, moving within itself, constantly in motion. It's a fascinating interplay of texture, colour, and material.

In our Exterior 2.3 | Surface Material range, you'll find designs that reveal something new every time you look at your project.

For you to create.



0496 Colosseum



0421 Venus



0426 Loft

0394 Moonwalk

0793 Patina Tin

0406 Rockstar

0861 Grey Eclipse Quartzstone

0497 Stonehenge

0808 Desert Rose Sandstone

0799 Black Jack

0894 Black Pearl Concrete

0898 Porto Nero Slate

0794 Patina Bronze

0902 Black Stingray Limestone

0903 Urban Galaxy Limestone

0427 Skyline

0860 White Blizzard Quartzstone

0897 Grey Cliffhanger Slate



0427 Skyline

3 Decor overview and delivery program

The decors shown below represent our standard offerings by finish type — if you require a decor or finish combination not listed, please contact our team to discuss available options.

NP Paragon
































Calming matte surface with anti-fingerprint technology and high-value feel.



NG Gloss

Highly reflective surface that's bold and reflects its surroundings.



 0080 Black	 0070 Carbon Grey	 0077 Charcoal	 0080 Black	 0070 Carbon Grey	 0077 Charcoal
 0900 Dark Cyber Grey	 0075 Dark Grey	 0074 Pastel Grey	 0900 Dark Cyber Grey	 0075 Dark Grey	 0074 Pastel Grey
 0887 Dark Offroad Greige	 2206 Fango	 2289 Tortora	 0887 Dark Offroad Greige	 2206 Fango	 2289 Tortora
 0874 Maroon	 0873 Red Pepper	 0864 Mustard	 0874 Maroon	 0873 Red Pepper	 0864 Mustard
 0909 Brown Flagship Oak	 0870 Dark Honey Marvel Walnut	 0868 Caramel Marvel Walnut	 0850 Green Valley	 0237 Gentian Blue	 0674 Mars Red
 0907 Graphite Flagship Oak	 0869 Smoked Marvel Walnut	 0908 Grey Flagship Oak	 0725 Yellowish Green	 0717 Atlantic	 0865 Lemon

NY Sky

Textured finish with depth and a pleasant feel – spirited, raw, and natural.




NY Sky | NP Paragon | NG Gloss



NY Sky



NP Paragon




NG Gloss

Exterior Pro 2.3 Surface

(from April 2024)

Decor type	Decor no.	Decor name	Nearest NCS code ¹⁾ / Species of wood	NG/NG ^{2,3,5}	NP/NT ^{2,4}	NY/NT ^{2,5}				
U	0070	Carbon Grey	S 7502-B	◦	◦		X	N		☐
S	0070G	Carbon Grey + Glitter		◦	◦	◦	X	R		
U	0074	Pastel Grey	S 2500-N	◦	◦		X	N		☐
S	0074G	Pastel Grey + Glitter		◦	◦	◦	X	R		
U	0075	Dark Grey	S 5000-N	◦	◦		X	N		☐
U	0077	Charcoal	S 7502-R	◦	◦		X	N		☐
U	0080	Black	S 9000-N	◦	◦		X	N		☐
S	0080G	Black + Glitter		◦	◦	◦	X	R		
U	0085	White	S 0502-G50Y	◦	◦	◦	X	N		☐
U	0091	Starlight	S 0502-R50B	◦	◦	◦	X	N		
U	0237	Gentian Blue	S 5040-R80B	◦			X	N		☐
M	0394	Moonwalk				◦	X	L		
M	0406	Rockstar				◦	X	L		
M	0421	Venus				◦	X	L		
M	0426	Loft				◦	X	L		
M	0427	Skyline				◦	X	L		
M	0496	Colosseum				◦	X	L		
M	0497	Stonehenge				◦	X	L		
U	0674	Mars Red	S 1580-Y90R	◦			X	N		
U	0717	Atlantic	S 2060-R90B	◦			X	N		☐
U	0725	Yellowish Green	S 1060-G60Y	◦			X	N		☐
U	0742	Pebble Grey	S 1002-Y	◦	◦	◦	X	N		☐
M	0793	Patina Tin				◦	X	L		☐
M	0794	Patina Bronze				◦	X	L		☐
M	0799	Black Jack				◦	X	L		
M	0808	Desert Rose Sandstone				◦	X	L	🌿	
U	0850	Green Valley	S 4050-G30Y	◦			X	N	🌿	☐
M	0860	White Blizzard Quartzstone				◦	X	L	🌿	
M	0861	Grey Eclipse Quartzstone				◦	X	L	🌿	
U	0864	Mustard	S 2060-Y10R	◦	◦		X	N	🌿	☐
U	0865	Lemon	S 0580-Y	◦			X	N	🌿	☐
H	0868	Caramel Marvel Walnut	Walnut		◦		X	L	🌿	
H	0869	Smoked Marvel Walnut	Walnut		◦		X	L	🌿	
H	0870	Dark Honey Marvel Walnut	Walnut		◦		X	L	🌿	
U	0873	Red Pepper	S 4550-Y70R	◦	◦		X	N	🌿	☐
U	0874	Maroon	S 7020-Y90R	◦	◦		X	N	🌿	☐
U	0887	Dark Offroad Greige	S 7005-Y20R	◦	◦		X	N	🌿	
M	0894	Black Pearl Concrete				◦	X	R	🌿	
M	0897	Grey Cliffhanger Slate				◦	X	R	🌿	☐
M	0898	Porto Nero Slate				◦	X	R	🌿	☐
U	0900	Dark Cyber Grey	S 7500-N	◦	◦		X	N	🌿	☐
M	0902	Black Stingray Limestone				◦	X	R	🌿	
M	0903	Urban Galaxy Limestone				◦	X	R	🌿	
H	0907	Graphite Flagship Oak	Oak		◦		X	L	🌿	☐
H	0908	Grey Flagship Oak	Oak		◦		X	L	🌿	
H	0909	Brown Flagship Oak	Oak		◦		X	L	🌿	☐
U	2206	Fango	S 4005-Y50R	◦	◦		X	N	🌿	☐
U	2289	Tortora	S 1505-Y40R	◦	◦		X	N	🌿	☐



Decor types

U = Color
H = Nature
M = Material
S = Specials

Decor/Decor direction

L = This decor goes in a lengthwise direction.
(Please take into consideration when arranging and cutting.)
N = This decor doesn't have a direction. It can be turned when cutting.
(Not the case for NP surfaces. Please take into consideration the further notes on NP.)
R = This decor goes in a crosswise direction.
(Please take into consideration when arranging and cutting.)
X = Decor on both sides

Surfaces

NG = Gloss
NY = Sky
NP = Paragon

Delivery options

◦ = according to current delivery times
☐ = Decor also available as Compact Interior. For details, see the Compact Interior delivery programme.
)3 = All Colour NG decors are also available as Metallic (Dualis Overlay Glitter).
)7 = Exterior surfaces NT, NG, and NH can also be supplied with 0890 on the reverse side.
Protective film = Surfaces NG and NP are supplied with protective film. The NY surface is always supplied without protective film.

Notes

)1 = Details on RAL and CMYK colour systems can be found on our website: fundermax.us
)2 = Front side/reverse side surfaces: NG: NG/NG | NP: NP/NT | NY: NY/ NT | NH: NH/NT (NY and NH are supplied with NT on the top).
)4 = NP surface: be sure to follow the same direction when installing. (Turning by 90° or 180° can lead to visual differences)
)5 = Additional surfaces and decors combinations can be found at www.fundermax.us
F = Max Compact Exterior F Quality. For details on fire classes and approvals, see TI Exterior.
★ = New decor for 2023

4 Products

Everything Max Compact Exterior Can Do

Max Compact Exterior panels are thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, and are produced in high-pressure lamination presses at high temperature.

Double-hardened acrylic polyurethane resin ensures highly effective weather protection, making it particularly well suited to balcony and facade cladding.

For extreme weather and environmental conditions*



highly weather-resistant



optimally lightfast



dual-cure



scratch-resistant



impact-resistant

Design freedom and efficiency



Large range of decorative finishes



Design using CNC systems



Cost savings—5 sizes, little waste

Installation and Maintenance



Quick installation



Decor on both sides




Easy to clean




Resistant to solvents

* Standard and actual values: www.fundermax.us

Composition of Max Compact Exterior Panels





The 'Biobased Product' label highlights biobased materials that contain a significant proportion of biomass by certifying their content of biobased materials.

A minimum proportion of biobased material is defined for each product family (60% for facade cladding).



FSC certification guarantees the origin and traceability of timber and paper products with a minimum amount of timber.

Certified products come from sustainable, socially responsible, and economically viable forestry management along the entire supply chain.




PEFC certification guarantees the origin and traceability of timber and paper products with an obligation for improvement.

Certified products come from sustainable forestry management that respects biodiversity and the vitality of ecosystems.

Max Compact Exterior F Quality

A high-quality construction product bearing the CE label for use as durable balcony and facade cladding. The panels are thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, with the most effective weather protection thanks to dual-cure acrylic polyurethane resin.

Exterior Pro 2.3 Surface



Surfaces*

- NG (Gloss) on both sides
- NP (Paragon), NT on reverse side
- NY (Sky), NT on reverse side

Size**

- **JU: 161 ³/₈ x 51 ³/₁₆ in = 57.37 ft²**
4100 x 1300 mm = 5.33 m²

** Fractions are approximate due to imperial conversions.

Thicknesses

Panels with decor on both sides:	
Thickness	Tolerance (EN 438-6, 5.3)
▪ 6.0 mm	± 0.3 mm
▪ 8.0-10.0 mm	± 0.5 mm
▪ 12.0-13.0 mm	± 0.6 mm


Core

- F Quality
- (flame retardant)
- Brown color

* For the best possible appearance of the facade cladding, installation on an aluminum subframe is recommended. Timber is advised against, as an uneven surface can lead to a wavy appearance.

**Panel sizes with tolerances of +10-0 mm (EN 438-6, 5.3) are standard sizes—if absolute size and angle precision is required, cutting around all sides is recommended. Depending on the cut, the net measurement reduces by approx. 10 mm.

Options



Max Compact Exterior F Quality
Max Compact Exterior panels are supplied with decors on both sides as standard. The core is made to be flame-retardant, the surface is lightfast, and the dual-cure resin is extremely weather-resistant. (Fire Test EN 13501-1, B-s2, d0)

Max Compact Elements



Machining Service
Fundermax offers the option of cutting the panels and CNC machining. Using state-of-the-art systems, virtually all requirements can be fulfilled, from simple hole drilling for mounting facade panels to intricate machining for balcony components.


Application Engineering

Fundermax has been producing compact panels in Austria for over 50 years. During this time, we’ve advised and worked with business partners on countless projects. We collaborate with all major system partners in the field of ventilated facades and balconies, and in doing so are constantly expanding our knowledge, which we’re then happy to put into the planning and realization of your project. Our experts in the area of building approval and certification deal with ensuring all relevant certifications are up to date and new ones are added. Furthermore, through our in-house services for cutting and CNC machining, we have links with all prominent tool suppliers so that we can give you the best possible advice when it comes to machining.

Application Engineering services



Handling compact panels



Machining compact panels



Mounting options for compact panels



Certifications and approvals



BIM objects and CAD details



Support and email contact

Consultation

Make the most of our architect consultation service and the extensive track record of our application technology. Certifications, approvals, BIM objects, and technical information can be found in the Technical Manuals section on our website or via the QR code. Materials and decorative samples can be ordered from our website around the clock.



You can go directly to the technical information for Exterior via this QR code

Tip

For a consistently light design for the interior of balconies, Max Compact Exterior panels can also be made with a white (reverse) side (O890 NT – Balkonweiss). The combination of different decors means the stated fixing distances should be reduced by at least 15%.

Max Compact Exterior—Physical Data and Approvals

Properties	Testing methods	Assessment	Standard value ¹⁾	Typical value ²⁾
Lightfastness and weather resistance (NT)				
Resistance to artificial weathering*	EN 438-2:2016, Section 29, 3,000 h	Contrast: Gray scale Appearance: Degree	Contrast: ≥ 3 Appearance: ≥ 4	Contrast: 4–5 Appearance: 5
Resistance to UV rays*	EN 438-2:2016, Section 28	Contrast: Gray scale Appearance: Degree	Contrast: ≥ 3 Appearance: ≥ 4	Contrast: 4–5 Appearance: 5

Properties	Testing methods	Unit of measurement	Standard value ¹⁾	Typical value ²⁾
Mechanical properties				
Bulk density	DIN 52328 / EN ISO 1183	g/cm3	≥ 1.35	1.44
Flexural strength	EN ISO 178	MPa	≥ 80 (11,603 psi)	Crosswise: 105 (15,229 psi) Lengthwise: 170 (24,656 psi)
E-modulus	EN ISO 178	MPa	≥ 9,000 (1,305,340 psi)	Crosswise: 11,000 (1,595,415 psi) Lengthwise: 16,000 (2,320,603 psi)
Tensile strength	EN ISO 527-2	MPa	No standard value	Crosswise: 95 (13,778 psi) Lengthwise: 140 (20,305 psi)
Resistance to impact with a large ball	EN 438-2:2016, Section 21	mm	≤ 10	5–6
Thermal properties				
Resistance to moisture	EN 438-2:2016, Section 15	%	Mass increase: ≤ 8	2
Dimensional tolerance at high temperature	EN 438-2:2016, Section 17	%	Lengthwise: ≤ 0.30 Crosswise: ≤ 0.60	Lengthwise: 0.08 Crosswise: 0.16
Coefficient of thermal expansion	DIN 52328	1/K		18 x 10 –6
Thermal conductivity		W/mK		0.3
Resistance to vapor diffusion				approx. 17,200 μ

Max Exterior Fire Testing/Code Compliance Data- USA/Canada

Testing Method	Description	Results
USA		
ASTM E84	Standard Test Method for Surface Burning Characteristics of Building Materials	Class A
ASTM D1929	Standard Test Method for Determining Ignition Temperature of Plastics	Pass (Self Ignition Temp. > 650 Degrees Fahrenheit)
NFPA268	Standard Test Method for Determining Ignitability of Exterior Wall Assemblies Using a Radiant Heat Energy Source	Pass
NFPA285	Standard Fire Test Method for Evaluation of Fire Propagation Characteristics of Exterior Wall Assemblies Containing Combustible Components	Pass (Assembly Test – see https://specdirect.intertek.com/controls/SDDocumentViewer.aspx?ccrr=CRR-0527 or contact us for details)
ICC AC92	(tests below)	Pass (Tests Below)
ASTM D1037	Standard Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials	Pass
ASTM C297	Standard Test Method for Flatwise Tensile Strength of Sandwich Construction	Pass
ASTM D2247	Standard Practice for Testing Water Resistance of Coatings in 100% Relative Humidity.	Pass
ASTM B117	Practice for Operating Salt Spray Fog Apparatus	Pass
ASTM G155	Standard Practice for Operating Xenon Light Arc Apparatus for Exposure of Non-Metallic Materials	Pass
Canada		
ULC S102	Standard Method of Test for Surface Burning Characteristics of Building Materials and Assemblies	Class A
ULC S134	Standard Method of Fire Test of Exterior Wall Assemblies	Pass (Assembly Test– contact us for details)

Max Exterior Installations of 8 and 10mm Exposed Fastening, 8mm Modulo, and 10mm Concealed Fastening are 2021 IBC Code Compliant (including NFPA285–2019 Edition) when installed per the assemblies listed in our Intertek Code Compliance Research Report: <https://specdirect.intertek.com/controls/SDDocumentViewer.aspx?ccrr=CRR-0527>

1) In accordance with EN 438–6
2) Typical values are given as examples only and cannot be used for any liability on the part of Fundermax (they are not confirmed, guaranteed values). Fundermax only guarantees compliance with standard values.

* Custom decorative printing: Artificial weathering EN ISO 4892-2: 3,000 h; Assessed based on the gray scale EN 20105–A02: 3

5 Fundermax Individual Solutions

For you to create—Maximum design possibilities with Fundermax Exterior

Facades are a critical architectural element, giving a building its symbolic expression and conveying the intention of the architect. At the same time, they serve as a backdrop for the public space and urban life.

With its huge range of highly weather-resistant and optimally lightfast colours, decors, and surfaces, the Fundermax Exterior collection allows for an extremely broad spectrum of design possibilities. Fundermax custom printing offers maximum design freedom, as well as the option of choosing any shape and machined engraving, which can be designed using modern CNC systems.




4 01 Project: Detached house for Sarka Kata
Client: Sarka Kata
Design: Toth Project
Designer: László Tóth
Photographer: Bujnovszky Tamás

Design freedom for facade layout and surface design

Thanks to modern CNC systems, it is possible to design creative facade layouts and add accents using machined engraving. Fundermax Exterior panels are uniform in their composition, so sealing the edges isn't required.

Make use of our decades of experience in the machining of compact panels and order your project so that it's pre-sorted and ready for installation.

Compact Elements by Fundermax services



Advantages

- No personal risk when cutting
- Precision machining results
- Can be delivered without offcuts on request, reducing workload when closing down the construction site
- Numbering, palletizing, and sorting in preparation for installation makes construction site logistics easier and saves space



- 5 02** Facade layout
Project: Aquapark
- 5 03** Facade layout
Project: Construction of School
- 5 04** Facade layout
Project: Eurospar St. Valentin
- 5 05** Facade layout
Project: Veganista

- 5 06** Openings and engraving
Project: Mairie de Trév
- 5 07** Openings and engraving
Project: Sky Punta Carretas
- 5 08** Openings and engraving
Project: Detached house
- 5 09** Openings and engraving
Project: Detached house



SKY Punto Carretas | Cesio Oliveira Arquitectos
© Quantax Uruguay

6 Essential Collection

Exterior 2.3 Essential

Exterior 2.3 | Essential offers maximum choice of decors and maximum efficiency with the NT surface, which offers a silky matte effect. As a result, the appearance achieves a certain shimmer that, regardless of the light conditions and specific application, provides plenty of character. The fine hammered texture complements this appearance to create an overall image of accomplished beauty.



Exterior 2.3 | Essential



7 Other Pro Collections

Exterior Pro 2.6 Stellar

Each decor of the Stellar Collection is available in three surface finishes:

- NT / Standard Finish
- NY / Sky, Textured Finish
- NG / Gloss Finish

Stellar stands for design that looks beyond the present. For buildings that pulse, shine, and make an impact – dissolving boundaries and making the future visible.



Exterior Pro 2.6 | Stellar

Stellar Gold


Gold is light shaping architecture. Warm, powerful, radiant.

Stellar Anthracite

Anthracite is depth in its purest form. Dark, strong, urban,


Stellar Silver

Silver is the tone of precise lines and contemporary form.



Exterior Pro 2.2 Podio

Weatherproof, slip-resistant and scratch-resistant, these are just a few criteria that our specially developed balcony panel Max Compact Exterior Podio with Hexa surface meets. Due to the easy installation by screwing or gluing as well as the slip resistance according to R10 DIN 51130 and DIN 51097 it is perfectly suitable for balconies, stairs and landings. Because of the selection of different decors, this product offering leaves nothing to be desired.



Exterior Pro 2.2 | Podio

Exterior Pro 2.2 Authentic

Each decor of the Authentic Collection is available in three surface finishes:

- NT / Standard Finish
- NY / Sky, Textured Finish
- NH / Hexa, Anti-Slip Finish



Exterior Pro 2.2 | Authentic

Lovers of brown and natural tones can now enjoy three completely new decors, all part of the Authentic Natural Panels (AUTN) family.

Authentic Mocca

Sometimes stronger, milder, darker, lighter—all in all, Authentic Mocca is a more than tasteful composition.

Authentic Pecan

With pecans, the treasured content is protected by a resistant shell. The same is true of a building's interior and facade. By using "Authentic Pecan" an aesthetically pleasing look can be achieved.

Authentic Caramel

Facades in a "salted caramel look" range from golden yellow to honey brown. This decor was inspired by the widely loved caramel candy with its different shades of color.



Fundermax North America, Inc.
Charlotte, North Carolina, USA
T: (980) 299-0035 | contactfna@fundermax.biz
Follow us: [@fundermaxna](#)
www.fundermax.us

MEMBER OF *Constantia* INDUSTRIES

